


Page 120, line 17, insert --- after "hydroxyethyl".

IN THE CLAIMS

Please cancel Claims 10-12 without prejudice.

1. (Amended) A compound of formula (I)



wherein:

R¹ is a C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ [alkenyl] alkynyl, C₃₋₈-cycloalkyl or a phenyl group, each group being optionally substituted by one or more substituents selected from halogen, OR⁸, NR⁹R¹⁰, SR¹¹ or C₁₋₆ alkyl (itself optionally substituted by one or more halogen atoms);

R² is C₁₋₈ alkyl optionally substituted by one or more substituents selected from the group consisting of halogen, OR⁸, NR⁹R¹⁰, SR¹¹, C₃₋₈-cycloalkyl, aryl (optionally substituted by one or more C₁₋₆ alkyl groups and/or halogen atoms), [or] and C₁₋₆-alkyl;

or R² is a C₃₋₈-cycloalkyl group optionally substituted by one or more substituents

B

selected from the group consisting of halogen, OR^8 , NR^9R^{10} , SR^{11} , C_{1-6} -alkyl [or] and phenyl, the latter two groups being optionally substituted by one or more substituents selected from the group consisting of halogen, NO_2 , $C(O)R^8$, OR^8 , SR^{11} , $NR^{12}R^{13}$, [a fused 5- or 6-membered saturated ring containing one or two oxygen atoms,] 1,3-benzodioxolyl, phenyl [or] and C_{1-6} -alkyl the latter two groups being optionally substituted by OR^8 , NR^9R^{10} or one or more halogen atoms; one of R^3 and R^4 hydroxy and the other is hydrogen, hydroxy or N^9R^{10} ;

104 R is a group $(CR^5R^6)_mOR^7$ where m is 0 or 1, R^5 and R^6 are independently hydrogen, C_{1-6} alkyl or phenyl the latter two groups being optionally substituted by halogen, and R^7 is hydrogen, C_{1-6} alkyl or $(CR^5R^6)_nR^{14}$ where R^5 and R^6 are as defined above, n is 1 to 3 and R^{14} is $COOH$, OR^{15} , $NR^{16}R^{17}$ or $CONR^{16}R^{17}$; or R is a C_{1-4} alkyl or C_{2-4} alkenyl group, each of which is substituted by one or more groups selected from the group consisting of $=S$, $=O$, $=NR^{20}$ [or] and OR^{21} and optionally substituted by one or more groups selected from the group consisting of halogen, C_{1-4} alkyl, phenyl, SR^{21} , NO_2 [or] and $NR^{22}R^{23}$ (where R^{21} , R^{22} and R^{23} are independently hydrogen, C_{1-4} alkyl or phenyl; R^{20} is OR^{24} or $NR^{25}R^{26}$ where R^{24} is hydrogen, C_{1-4} alkyl or phenyl, and R^{25} and R^{26} are independently hydrogen, C_{1-4} alkyl, aryl, C_{1-6} acyl, arylsulphonyl or arylcarbonyl); R^8 is hydrogen, C_{1-6} alkyl optionally substituted by halogen or R^8 is phenyl optionally substituted by one or more substituents selected from halogen, NO_2 , $C(O)R^6$, OR^6 , SR^9 , $NR^{10}R^{11}$;

R^9 , R^{10} and R^{11} are independently hydrogen or C_{1-6} alkyl;

143

R¹² and R¹³ are independently hydrogen, C₁₋₆ alkyl, C₁₋₆ acyl, C₁₋₆ alkyl sulfonyl optionally substituted by halogen, or phenyl sulfonyl optionally substituted by C₁₋

B4 C₄ alkyl; and

R¹⁵, R¹⁶ and R¹⁷ are independently hydrogen or C₁₋₆ alkyl;

or a pharmaceutically acceptable salt or solvate thereof.

Claim 2, line 1, insert --as defined in claim 1" after "(I)".

Claim 4, line 3, delete "C₃₋₈ and replace by --C₁₋₆--.

Claim 8, page 131, line 31, delete "phenoyphenyl" and replace by --phenoxyphenyl--.

Page 136, line 7, delete "Dimethylphenyl" and replace by --Dimethylaminophenyl--;

lines 19-21, delete in their entirety.

Page 137, line 35, insert --)-- after "hydroxyethyl".

sub C1
B6
13. (Twice Amended) A method of treatment of a platelet aggregation disorder which comprises administering to a patient suffering from such a disorder a therapeutically effective amount of a compound according to Claim 1.

Claim 14, line 1, insert --as defined in claim 1-- after "(I)";
line 20, delete "• converting one or more functional groups into a
further functional groups".

Please add the following new claims:

¹²
C 15. A method of treatment ~~or prevention~~ of a condition selected from the
group consisting of myocardial infarction, thrombotic stroke, transient ischaemic
attack, peripheral vascular disease and angina, which comprises administering to
a patient in need of such treatment ~~or prevention~~ an effective amount of a
compound according to claim 1.

¹²
13 16. A method according to claim 15, wherein the condition is angina.--